Appln. No.: 10/715,098

Group Art Unit: 3753

IN THE CLAIMS:

Please amend the claims as follows:

1. (Currently Amended) A heat exchanger tank for a cooling system

comprising;

a single sheet of material having a cladding on at least one surface thereof

and extending through a rectangular cross-section defining a tube wall having tube holes

therein and a parallel joint wall spaced from said tube wall with spaced parallel sidewalls

interconnecting said joint and tube walls to define a chamber and opposed open ends for

permitting fluid flow through said tank,

said tank characterized by said joint wall including a tab integrally formed

therewith and extending from said joint wall into said chamber and a first of said

sidewalls disposed in sealing engagement with the outside of said tab to thereby enclose

said tab within said [[chamber.]] chamber,

said first sidewall extending above said joint wall and said tab to define a

mounting flange for mounting said tank on the cooling system, and

said flange being of a double thickness of said sheet to define a primary

wall and a reinforcing wall.

2. (Cancelled)

A tank as recited in [[claim 2]] claim 1 3. (Currently Amended)

wherein said flange includes a plurality of holes for receiving fasteners therethrough for

mounting said tank on the cooling system.

Appln. No.: 10/715,098 Group Art Unit: 3753

4. (Currently Amended) A tank as recited in [[claim 2]] claim 1

wherein said flange includes a peripheral edge with spaced slots extending therefrom

toward said tab for connecting mounting said tank to the cooling system.

5. (Currently Amended) A tank as recited in [[claim 2]] claim 1

wherein said flange includes a peripheral edge with recessed areas extending therefrom

said peripheral edge toward each of said ends of the tank for positioning said flange in

closely-conforming relation to the cooling system.

6. (Currently Amended) A tank as recited in [[claim 2]] claim 1

wherein said first sidewall includes an interior joint surface within said chamber and said

tab includes an exterior surface with said cladding thereon sealing said exterior surface

into engagement with said joint surface to define an internal braze joint within said

chamber.

7. (Cancelled)

8. (Currently Amended) A tank as recited in [[claim 7]] claim 1

including a U-shaped fold integrally joining said primary and reinforcing walls and

extending parallel to the longitudinal axis of said tank.

9. (Currently Amended) A tank as recited in [[claim 7]] claim 1

wherein said reinforcing wall overlaps said primary wall on the interior thereof and

extends transversely over said joint wall on the exterior thereof.

Page 4 of 9

Appln. No.: 10/715,098

Group Art Unit: 3753

10. (Original) A tank as recited in claim 9 wherein said cladding seals said reinforcing wall into engagement with said primary wall and said joint wall to define an exterior braze joint.

11. (Original) A tank as recited in claim 1 and including end caps sealingly engaged with said open ends of said tank.

12. (Original) A tank as recited in claim 1 and including elongated tubes received through said tube holes, each of said tubes defining a passage extending therethrough.

13. (Currently Amended) A method of fabricating a heat exchanger tank comprising the steps of;

forming a single sheet of material having a cladding on at least one surface thereof to define a tank extending through a rectangular cross-section with a tube wall, a parallel joint wall spaced from the tube wall, spaced parallel sidewalls interconnecting the joint and tube walls to define a chamber having opposed open ends,

forming an integral tab extending from the joint wall into the chamber,

disposing a first of the sidewalls into engagement with the exterior of the tab to enclose the tab within the chamber, and

brazing the first sidewall to the [[tab.]] tab,

extending the first sidewall upwardly above the joint wall and the tab to project outwardly from the joint wall to define a flange, and

doubling the sheet defining the flange to further define a primary wall and a reinforcing wall.

Appln. No.: 10/715,098

Group Art Unit: 3753

14. (Cancelled)

15. (Currently Amended) A method as set forth in [[claim 14]] claim

13 further defined as extending holes through the flange for receiving fasteners

therethrough to mount the tank on the cooling system.

16. (Currently Amended) A method as set forth in [[claim 14]] claim

13 further defined as forming spaced slots on the flange extending from a peripheral edge

thereof toward the tab for [[connecting]] mounting the tank to the cooling system.

17. (Currently Amended) A method as set forth in [[claim 14]] claim

13 further defined as forming a recessed area on each end of the flange extending from a

peripheral edge thereof toward an adjacent end of the tank.

18. (Cancelled)

19. (Currently Amended) A method as set forth in [[claim 18]] claim

13 further defined as forming a U-shaped fold integrally joining the primary and

reinforcing walls.

20. (Original) A method as set forth in claim 19 further defined as

overlapping the primary and joint walls with the reinforcing wall.

Appln. No.: 10/715,098 Group Art Unit: 3753

21. (**Original**) A method as set forth in claim 20 further defined as brazing the reinforcing wall to the primary wall and the joint wall.

22. (Currently Amended) A method as set forth in [[claim 16]] claim 13 further defined as sealing an end cap into engagement with each of the open ends of the tank.